144 St Sa C.A.D.

Exclusive special edition for ASPHALTGOLD.

- Exclusive special edition for ASPHALTGOLD
- Limited to 100 pieces
- · Case made of stainless steel, bead-blasted
- Tachymeter scale
- · Sapphire crystal glass
- Transparent case back made of sapphire crystal glass
- Waterproof and pressure-resistant to 20 bar
- · Low pressure resistant
- Watch including solid bracelet and storage case

One of the most successful sneaker boutiques in Europe and a traditional mechanical watch manufacturer: a good combination? Of course. The 144 St Sa C.A.D. model, which Asphaltgold and Sinn Spezialuhren have launched together, is a clear demonstration. The timepiece combines the best of both worlds and is contemporary and classic in equal measure. What also unites the two creators from Hessen: sneakers and watches

are emotionally charged collector's items – particularly when they have exclusivity, such as the special edition 144 St Sa C.A.D., which is limited to 100 pieces. For the watch's harmonious colour combination, both partners drew inspiration from iconic jerseys from US team sports. The dial of the 144 St Sa C.A.D. is creamy white, making this special edition the first 144 with a light-coloured dial. It is decorated with the Asphaltgold logo, which is also found on the rotor. Thanks to the sapphire crystal glass in front and back, it is wonderful to look at. The internal tachymeter scale also features the corporate slogan "Culture. Aesthetics. Dedication". This look is the perfect stage for showcasing the black luminous indices as well as the hour, minute and second hands, complemented by the colour of the green chronograph hands. As a sports chronograph, the watch also features high-performance internal values, such as resistance to low pressure, water resistance and pressure resistance to 20 bar. Neither sneakers nor watches are constantly on the move. Which is why the high-quality storage case provides a safe retreat for the 144 St Sa C.A.D. Until it's time to get going again.



Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444





Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- Concepto C99001
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Anti-magnetic as per DIN 8309

Case

- · Case made of stainless steel, bead-blasted
- Sapphire crystal glass in front, anti-reflective on the interior
- Transparent case back made of sapphire crystal glass, anti-reflective on the interior
- Case back screw-fastened
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Waterproof and pressure-resistant to 20 bar
- · Low pressure resistant

Functions

- Hours, minutes, subsidiary seconds
- Date display
- Day of the week display
- Chronograph
- Tachymeter scale

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444



Dimensions and Weight

- Case diameter: 41 mm
- Band lug width: 20 mm
- Case thickness: 14,2 mm
- Weight without strap: 90 gramme

Dial and Hands

- Cream-white dial
- Indices coated with luminescent colour
- · Hour and minute hand coated with luminescent colour

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444