

# 1800 S DAMASZENER

- Limité à 100 pieces
- Case with integrated dial in stainless Damascus steel
- Boîte avec revêtement anti-éraflure noir, traité TEGIMENT
- Damascus steel case back, stainless
- Case back made with Boîte à revêtement anti-éraflures noir, traité TEGIMENT
- Verre saphir
- Crown screwable
- Meticulously appliqués
- Étanchéité jusqu'à 10 bars
- Résistance aux basses pressions



Where functionality defines design and every little detail serves to highlight the innovative technology at play, this is where Sinn Spezialuhren is at work. Since our establishment in 1961, we focused continuously on high-quality mechanical watches combining a traditional sense of quality with advanced solutions. This has repeatedly resulted in the use of totally new watchmaking materials. In 1995, we presented the first watch made of 22-carat yellow gold with a material hardness equal to that of stainless steel (220 HV). In 2005, German Submarine Steel was used for the first time in diving watches. Our 1800 S model made of Damascus steel (ger.: Damaszener Stahl) seamlessly follows on from this by rendering the highly traditional material appropriate for watch cases – without forsaking but rather enhancing its special allure. The watch thus displays a uniqueness that is immediately reflected in its design and appearance. In order to bring the characteristics textures of Damascus steel to the fore – an organic pattern of alternating bands of light and dark – the dial and central part of the case are forged from a complete steel block rather than designed as separate components, as is customary. The result is rather remarkable: for the Damascus pattern on the dial continues across the entire case to create a fascinating and impressive whole. Thanks to the use of TEGIMENT Technology and the application of an additional Black Hard Coating, we have succeeded in combining functionality with high quality. The Black Hard Coating displays the pattern in a subtle, exquisite light and ensures good readability and a masculine-looking watch. Damascus steel has fascinated humankind for centuries. It gained its legendary reputation above all in the making of swords, knives and blades. Damascus steel is a combination of at least two different types of steel, layered to create the aforesaid surface design. The traditional art of making Damascus steel is very elaborate and portrays a unique blend of craftsmanship and application. During production, the different types of steel are layered and forge-welded together. The piece is then forged, halved while in a glowing state and layered

---

## SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tél. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Directeur général: Lothar Schmidt • Tribunal d'instance Frankfurt am Main • HRB 38841 • No de TVA intracommunautaire: DE249383321 • WEEE-Reg.-Nr.:

DE75393444

together again. Experts refer to this as 'folding'. By combining soft and hard steels, a new kind of steel is created, one which displays properties of both. In the final stage of production, the Damascus pattern is made visible through surface etching. The steels are dissolved to varying extents by acid, thus forming the typical light and dark nuances. In this respect, it is important to know that the use of Damascus steel in the making of watch cases is particularly challenging with regard to corrosion resistance. In order to find a professional solution, we adapt recent developments in materials engineering. For the case of our 1800 S DAMASZENER model, the different steels used are combined using powder metallurgy and, in this sense, technically optimised. Also during production of the 1800 S DAMASZENER, the layered structure is made visible through final surface etching, which gives the material its characteristic appearance. Each watch thus becomes an extraordinary and unique timepiece, as the flow of lines cannot be physically manipulated.

---

## SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tél. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Directeur général: Lothar Schmidt • Tribunal d'instance Frankfurt am Main • HRB 38841 • No de TVA intracommunautaire: DE249383321 • WEEE-REg.-Nr.:

DE75393444

# Technique

## Mouvement mécanique

Les informations sur le mouvement mécanique correspondent à l'état actuel de la production à Francfort-sur-le-Main. En raison des modifications techniques, il peut arriver que les articles en stock de nos revendeurs spécialisés présentent des écarts.

- ETA 2892-A2
- Remontage automatique
- 21 rubis
- 28,800 A/h
- Fonction stop sur les secondes
- Résistance aux impacts selon la norme DIN ISO 1413
- Protection contre les champs magnétiques selon la norme DIN 8309

## Boîte

- Case with integrated dial in damascus steel, stainless
- Damascus steel case back, stainless
- Sapphire crystal glass, traitée antireflet sur les deux faces
- Fond de la boîte vissé
- Couronne vissable
- Conforme aux exigences techniques de la norme DIN 8310 (étanchéité à l'eau)
- Étanchéité jusqu'à 10 bars
- Résistance aux basses pressions

## Fonctions

- Heure, minute, seconde
- Affichage de la date

## Technologies SINN

- Boîte à Revêtement Anti-éraflure Noir, traité TEGIMENT

---

### SINN SPEZIALUHREN GMBH

### Dimensions et poids

- Diamètre de la boîte: 43 mm
- Largeur du bracelet entre les cornes: 22 mm

### Cadran et aiguilles

- Dial in damascus steel
- Index made of 13 meticulously appliques
- Index revêtus d'un enduit luminescent
- Aiguilles des heures et des minutes revêtues d'un enduit luminescent

---

## **SINN SPEZIALUHREN GMBH**