Sinn Spezialuhren zu Frankfurt am Main

206 St Ar

A contemporary take on the traditional diving chronograph.

- Case made of stainless steel, polished / satinized
- Electroplated black dial
- Tested based on European diving equipment standards and certified by an independent institute
- Water-resistant and pressure-resistant to 300 m diving depth (= 30 bar), certified by an independent institute
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Captive diver's bezel with minute ratcheting
- Sapphire crystal glass
- Transparent back made of sapphire crystal glass
- Low pressure resistant



The 206 St Ar is historically linked to the 203 St and 203 Ti Ar, in which Ar-Dehumidifying Technology was first used in 1995. Optimum readability is ensured by a black dial, which also gives the watch a mechanical and instrumental look.

To remain as true to the original of the 203 St as possible in other respects, we have also kept the screw push-piece look. Thanks to our D3-System, however, screwable push-pieces are no longer required in the 206 St Ar. This makes the chronograph functions easily accessible and easy to operate.

Model 206 St Ar therefore represents a contemporary take on the traditional 203 series, which is reflected in a new diameter of 43 mm rather than 41 mm.

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444



Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- Concepto C99001
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Anti-magnetic as per DIN 8309

Case

- · Case made of stainless steel, polished / satinized
- Sapphire crystal glass in front, anti-reflective on both sides
- Transparent case back made of sapphire crystal glass, anti-reflective on the interior
- Case back screw-fastened
- Crown screwable
- Meet the technical requirements for water-resistance, as set out in standard DIN 8310
- Water-resistant and pressure-resistant to 300 m diving depth (= 30 bar), certified by an independent institute
- · According to the technical demands for the diving norm DIN 8306
- Tested based on European diving equipment standards EN 250 / EN14143 and certified by an independent institute
- · Low pressure resistant

Functions

- · Hours, minutes, subsidiary seconds
- Date display
- Day of the week display
- Chronograph
- Diver's bezel with minute ratcheting and luminous key mark

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444



SINN Technologies

- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Push-pieces with D3-System
- Captive bezel

Dimensions and Weight

- Case diameter: 43 mm
- Band lug width: 22 mm
- Case thickness: 17 mm
- Weight without strap: 95 gramme

Dial and Hands

- Electroplated black dial
- · Indices coated with luminescent colour
- · Hour, minute and second hand coated with luminescent colour

Warranty

• 3 years

Price

with leather strap from 3.800,00 €

with solid bracelet from 4.025,00 €

with silicone strap from 3.800,00 €

incl. tax

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444