

344 Ti Aut

The ladies' sports watch.

- Boîte en titane, microbillé
- Verre saphir
- Étanchéité jusqu'à 10 bars
- Résistance aux basses pressions
-

Our model 344 is a ladies' watch with a very special character. On the one hand, it's as functional and technologically sophisticated as you would rightly expect of a Sinn timepiece. And on the other hand, it has a formal elegance that simultaneously signals the restraint and esthetic taste of the wearer. A performance distinguished primarily by the slim case in lightweight yet solid titanium. The dial: punctiform, intensely luminous 12-hour indices as well as the hour and minute hands are coated with long-lasting special luminous paint. The red second hand with a matte black center provides an effective contrast and is clearly readable – during everyday use, sports activities and any other situation. We didn't practice any restraint whatsoever with regard to the technical features of the 344: its core is formed by an ETA 2678 movement with 25 ruby bearing jewels and 28,800 alternations per hour. It is equipped with a screw-fastened case back, screwable crown and a sapphire crystal glass with anti-reflective coating on both sides. You'll find the most important information about the watch engraved in the case back – it is shock-resistant, water-resistant and pressure-resistant to 10 bar (100 m). Titanium offers outstanding comfort and wearability. It is completely anti-allergenic, adapts better to the wearer's arm temperature, is fully anti-magnetic and significantly lighter than stainless steel.



SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tél. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Directeur général: Lothar Schmidt • Tribunal d'instance Frankfurt am Main • HRB 38841 • No de TVA intracommunautaire: DE249383321 • WEEE-REg.-Nr.:

DE75393444

Technique

Mouvement mécanique

Les informations sur le mouvement mécanique correspondent à l'état actuel de la production à Francfort-sur-le-Main. En raison des modifications techniques, il peut arriver que les articles en stock de nos revendeurs spécialisés présentent des écarts.

- ETA 2678
- Remontage automatique
- 25 rubis
- 28,800 A/h
- Fonction stop sur les secondes
- Résistance aux impacts selon la norme DIN ISO 1413
- Protection contre les champs magnétiques selon la norme DIN 8309

Boîte

- Boîte en titane, microbillé
- Verre saphir, traitée antireflet sur les deux faces
- Fond transparent, verre saphir, traitée antireflet sur l'intérieur
- Fond de la boîte vissé
- Couronne vissable
- Conforme aux exigences techniques de la norme DIN 8310 (étanchéité à l'eau)
- Étanchéité jusqu'à 10 bars
- Résistance aux basses pressions

Fonctions

- Heure, minute, seconde
- Affichage de la date

SINN SPEZIALUHREN GMBH

Dimensions et poids

- Diamètre de la boîte: 25 mm
- Largeur du bracelet entre les cornes: 12 mm
- Hauteur de la boîte: 9.5 mm
- Poids sans bracelet: 17 gramme

Cadran et aiguilles

- Cadran noir mat
- Index revêtus d'un enduit luminescent
- Aiguilles des heures et des minutes revêtues d'un enduit luminescent

SINN SPEZIALUHREN GMBH