

356 Sa PILOT UTC

The traditional chronograph with sapphire crystal glass.

- Boîte en acier inoxydable, satinés
- Affichage sur 12 heures avec deux fuseaux horaires
- Verre saphir
- Fond transparent, verre saphir
- Étanchéité jusqu'à 10 bars
- Résistance aux basses pressions
-

We have made sophisticated refinements to the models in our 356 series, which are designated by the suffix Sa. The tastefully dimensioned case with a diameter of 38.5 mm has a fine satinized finish and gives an impression of high-quality, elegant functionality. Connoisseurs will immediately notice another subtle detail: the high-domed sapphire crystal glass used in the series has the same profile as the acrylic glass in the basic model. This sophistication has its price: in a complex process, the glass must be ground out of a solid blank with a thickness of five millimeters, with five different radii of curvature. The result not only preserves the classic look of these pilot's chronographs, but the glass is also more solid, stronger and more resistant than a simple, flat-ground alternative. The anti-reflective coating on both sides facilitates accurate reading of the distinctively designed dial even under extreme lighting conditions. We have also enhanced the back of the watch: a sapphire crystal glass back affords a fascinating view of the interior. This is intentional, as the movement has been exquisitely decorated with a tasteful finish and blued screws.



SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tél. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Directeur général: Lothar Schmidt • Tribunal d'instance Frankfurt am Main • HRB 38841 • No de TVA intracommunautaire: DE249383321 • WEEE-REg.-Nr.:

DE75393444

Technique

Mouvement mécanique

Les informations sur le mouvement mécanique correspondent à l'état actuel de la production à Francfort-sur-le-Main. En raison des modifications techniques, il peut arriver que les articles en stock de nos revendeurs spécialisés présentent des écarts.

- Valjoux 7750 GMT
- Remontage automatique
- 25 rubis
- 28,800 A/h
- Fonction stop sur les secondes
- Résistance aux impacts selon la norme DIN ISO 1413
- Protection contre les champs magnétiques selon la norme DIN 8309

Boîte

- Boîte en acier inoxydable, satinés
- Verre saphir, traitée antireflet sur les deux faces
- Fond transparent, verre saphir, traitée antireflet sur l'intérieur
- Fond de la boîte vissé
- Couronne vissable
- Conforme aux exigences techniques de la norme DIN 8310 (étanchéité à l'eau)
- Étanchéité jusqu'à 10 bars
- Résistance aux basses pressions

Fonctions

- Heure, minute, petite seconde
- Affichage sur 12 heures avec deux fuseaux horaires
- Affichage de la date
- Chronographe

SINN SPEZIALUHREN GMBH

Dimensions et poids

- Diamètre de la boîte: 38,5 mm
- Largeur du bracelet entre les cornes: 20 mm
- Hauteur de la boîte: 15 mm
- Poids sans bracelet: 75 gramme

Cadran et aiguilles

- Cadran noir mat
- Chiffres et index revêtues d'un enduit luminescent
- Aiguilles des heures, des minutes et des secondes du chronographe revêtues d'un enduit luminescent

SINN SPEZIALUHREN GMBH