

556 I M

A sporty, elegant watch.

- Case made of stainless steel, satinized
- Mocca-brown-coloured dial with sunburst decoration
- Sapphire crystal glass
- Transparent case back made of sapphire crystal glass
- Waterproof and pressure-resistant to 20 bar
- Low pressure resistant

Striking form, sparse dial design, superior readability – characteristic SINN features which highlight the similarities between the 556 series and our pilot and navigation cockpit clocks. The accentuation of the hours, minutes and seconds plus the satinized stainless steel case are what give the watches their sporty yet elegant appearance. The crystal of the 556 watches is made from sapphire crystal, as is the transparent back which provides an intriguing insight into the filigree mechanical movement inside.



SINN SPEZIALUHREN GMBH

Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- SW200-1
- Self-winding mechanism
- 26 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Anti-magnetic as per DIN 8309

Case

- Case made of stainless steel, satinized
- Sapphire crystal glass in front, anti-reflective on both sides
- Transparent case back made of sapphire crystal glass, anti-reflective on the interior
- Case back screw-fastened
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Waterproof and pressure-resistant to 20 bar
- Low pressure resistant

Functions

- Hours, minutes, seconds

Dimensions and Weight

- Case diameter: 38,5 mm
- Band lug width: 20 mm
- Case thickness: 11 mm
- Weight without strap: 65 gramme

SINN SPEZIALUHREN GMBH

Dial and Hands

- Mocca-brown coloured dial with sunburst decoration
- Indices coated with luminescent colour
- Hour and minute hand coated with luminescent colour

SINN SPEZIALUHREN GMBH