

6110 Technik

- Case made of stainless steel, polished / satinized
- Second stop function for accurate time adjustment
- Hand-wound movement
- Glucydur screw balance
- Triovis precision adjustment system
- Black electroplated dial with sunburst decoration
- Sapphire crystal glass
- Transparent case back made of sapphire crystal glass
- Pressure-resistant to 10 bar (= 100 m water depth)
- Low pressure resistant
-

Perfection in design. The 6110 Technik unites traditional craftsmanship with the very latest technology. Advanced watchmaking skills are in evidence, for example, in the use of high quality movement parts such as a Glucydur screw balance, a Triovis precision regulator system and a Nivarox 1 balance spring. These elements are incorporated in a manually wound movement embellished with Geneva stripes and blued screws. These aspects combine to lend the 6110 Technik an air of exclusivity which is underlined by the exterior design, including the black electroplated dial with sunburst decoration. The watch has its own technical styling and, accordingly, the dial is especially clear and easy to read. The crystal and transparent back are made from sapphire crystal glass mounted in a highly-polished stainless steel case with satinized edges. The 6110 Technik is low pressure resistant and can withstand pressures of up to 10 bar.



SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-Reg.-Nr.: DE75393444

Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- Unitas 6498-1
- Hand-wound movement
- 17 bearing jewels
- 18,000 semi-oscillations per hour
- Glucydur screw balance
- Triovis precision adjustment system
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

Case

- Case made of stainless steel, polished / satinized
- Sapphire crystal glass in front, anti-reflective on both sides
- Transparent case back made of sapphire crystal glass, anti-reflective on the interior
- Case back screw-fastened
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant up to 10 bar (= 100 m water depth)
- Low pressure resistant

Functions

- Hours, minutes, subsidiary seconds

SINN Technologies

- Crown with D3-System
- Upgrade with seconds stop function

SINN SPEZIALUHREN GMBH

Dimensions and Weight

- Case diameter: 44 mm
- Band lug width: 22 mm
- Case thickness: 10.6 mm
- Weight without strap: 80 gramme

Dial and Hands

- Black electroplated dial with sunburst decoration
- Attached Appliqués luminescent
- Hour and minute hand coated with luminescent colour

SINN SPEZIALUHREN GMBH