

656 L

The pilot's watch with magnetic field protection.

- Limited edition to 300 units
- Case made of stainless steel, bead-blasted
- Magnetic Field Protection up to 80,000 A / m
- Sapphire crystal glass
- Nickel-free case back
- Pressure-resistant to 20 bar
- Low pressure resistant



SINN SPEZIALUHREN GMBH

Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- ETA 2824-2
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

Case

- Case made of stainless steel, matte black chrome-plated
- Sapphire crystal glass in front, anti-reflective on both sides
- Case back screw-fastened, nickel-free
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant up to 20 bar
- Low pressure resistant

Functions

- Hours, minutes, seconds
- Date display

SINN Technologies

- Magnetic Field Protection up to 80,000 A/m

SINN SPEZIALUHREN GMBH

Dimensions and Weight

- Case diameter: 38,5 mm
- Band lug width: 20 mm
- Case thickness: 10 mm
- Weight without strap: 67 gramme

Dial and Hands

- Hands matte black and dial coated with luminescent colour

SINN SPEZIALUHREN GMBH