

656 S

The pilot's watch with magnetic field protection.

- Case made of stainless steel, matte black chrome-plated
- Magnetic Field Protection up to 80,000 A / m
- Sapphire crystal glass
- Nickel-free case back
- Pressure-resistant to 20 bar
- Low pressure resistant
-

Just how functional can a watch be? This is a question we've been asking ourselves since founding the company. And the answer? Our cockpit navigation clocks. Conceived for the instrument panels of aeroplanes and helicopters, and optimised to provide rapid and clear readability, they are specifically designed to offer time measurement in its purest form. And they have now inspired us to create a watch with these same characteristics (and magnetic Field Protection of up to 80,000 A/m) to complement our range of instrumental chronographs. The dial design ensures especially clear readability: – Maximum contrast of the hands, indices and numerals against the glare-free black dial. – Extremely large numerals for intuitive orientation even in low light levels. – Striking hand profiles. – Special long-lasting, luminous paint on the minute and hour hands and indices to ensure accurate reading even in adverse conditions.



SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444

Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- ETA 2824-2
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

Case

- Case made of stainless steel, matte black chrome-plated
- Sapphire crystal glass in front, anti-reflective on both sides
- Case back screw-fastened, nickel-free
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant up to 20 bar
- Low pressure resistant

Functions

- Hours, minutes, seconds
- Date display

SINN Technologies

- Magnetic Field Protection up to 80,000 A/m

SINN SPEZIALUHREN GMBH

Dimensions and Weight

- Case diameter: 38,5 mm
- Band lug width: 20 mm
- Case thickness: 10 mm
- Weight without strap: 67 gramme

Dial and Hands

- Matte black dial
- Numbers and indices coated with luminescent colour
- Hour and minute hand coated with luminescent colour

SINN SPEZIALUHREN GMBH