

## 657 S

### The pilot's watch with the captive rotary bezel.

- Case made of stainless steel, matte black chrome-plated
- Magnetic Field Protection up to 80,000 A / m
- Captive pilot's bezel with minute ratcheting
- Sapphire crystal glass
- Nickel-free case back
- Pressure-resistant to 20 bar
- Low pressure resistant
- 

Based on the 656 model range, and designed as a functional instrument watch in the tradition of our cockpit navigation clocks, this pilot's watch also features a pilot's bezel which permits its wearer to measure or check set time intervals. This is a decisive criterion particularly in aviation — reason enough for us to give this important function a superior design.

The stainless steel pilot's bezel with minute ratcheting can be rotated on both sides and features a special mechanical system developed by Sinn to protect against loss. The labelling is silver on an inset, black anodised aluminium ring to ensure optimal scale readability. A luminous triangle serves as the 0 / 60 minute mark.



---

#### SINN SPEZIALUHREN GMBH

## Technical details

### Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- ETA 2824-2
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

### Case

- Case made of stainless steel, matte black chrome-plated
- Sapphire crystal glass in front, anti-reflective on both sides
- Case back screw-fastened, nickel-free
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant up to 20 bar
- Low pressure resistant

### Functions

- Hours, minutes, seconds
- Date display
- Pilot's bezel with minute ratcheting and luminous key mark

### SINN Technologies

- Captive bezel
- Magnetic Field Protection up to 80,000 A/m

---

## SINN SPEZIALUHREN GMBH

### Dimensions and Weight

- Case diameter: 41 mm
- Band lug width: 20 mm
- Case thickness: 12 mm
- Weight without strap: 77 gramme

### Dial and Hands

- Glossy black dial
- Numbers and indices coated with luminescent colour
- Hour and minute hand coated with luminescent colour

---

## **SINN SPEZIALUHREN GMBH**