

756 II

The Duochronograph.

- Limited edition to 75 units
- Case made of stainless steel, bead-blasted
- Case made with TEGIMENT Technology and therefore especially scratch-resistant
- Nickel-free case back without TEGIMENT Technology
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Magnetic Field Protection up to 80,000 A/m
- Functionally reliable from -45°C up to +80°C
- Sapphire crystal glass
- Pressure-resistant to 20 bar
- Low pressure resistant



The 756 II and 757 II editions feature an exclusive, stylish design and come in a limited range of each 75 units. They possess a fine-matt finish, bead-blasted case made from stainless steel combined with a warm grey dial on which the two ivory-coloured counters accentuate the striking face of a duochronograph. The chronograph hands are presented in a dark red colour, ensuring a harmonious overall design. The contrast between the clear and neat hour indices and the 3, 6, 9 and 12 hour counters ensures optimal readability, while use of the luminous white coating on the indices and 3 and 9 hour counters ensures that they can also be identified in the dark. The range of technologies in the watches includes Magnetic Field Protection up to 80,000 A/m, Ar-Dehumidifying Technology for increased functional reliability and freedom from fogging, Temperature Resistance Technology for reliable function in temperatures of -45°C to +80°C, and a highly scratchproof case based on TEGIMENT Technology. The watches are also resistant to low pressure and pressure-resistant to 20 bar.

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444

Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- Valjoux 7750
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Anti-magnetic as per DIN 8309

Case

- Case made of stainless steel, bead-blasted
- Sapphire crystal glass in front, anti-reflective on both sides
- Case back screw-fastened, nickel-free
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant up to 20 bar
- Low pressure resistant

Functions

- Hours, minutes
- Date display
- Chronograph

SINN SPEZIALUHREN GMBH

SINN Technologies

- TEGIMENT Technology, therefore especially scratch-resistant
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Temperature resistance technology, therefore functionally reliable at temperatures from -45°C up to +80°C
- Magnetic Field Protection up to 80,000 A/m
- Push-pieces with D3-System

Dimensions and Weight

- Case diameter: 40 mm
- Band lug width: 20 mm
- Case thickness: 14 mm
- Weight without strap: 91 gramme

SINN SPEZIALUHREN GMBH