

809 Aut

The Diving Watch.

- Case made of stainless steel, bead-blasted
- Diver's bezel
- Sapphire crystal glass
- Crown at 4 o'clock to prevent pressure on the back of the hand
- Pressure-resistant to 20 bar
- Low pressure resistant
-

SINN SPEZIALUHREN GMBH

Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- ETA 2892-A2
- Self-winding mechanism
- 21 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

Case

- Case made of stainless steel, bead-blasted
- Sapphire crystal glass
- Case back screw-fastened
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant up to 20 bar
- Low pressure resistant

Functions

- Hours, minutes, seconds
- Date display
- Diver's bezel

SINN SPEZIALUHREN GMBH

Dimensions and Weight

- Case diameter: 39 mm
- Band lug width: 21 mm
- Case thickness: 9.5 mm
- Weight without strap: 58 gramme

Dial and Hands

- Matte black dial
- Numbers with luminous paint (tritium)
- Hour, minute and second hand coated with luminous paint (tritium)

SINN SPEZIALUHREN GMBH