

857 SEK Frankfurt am Main

Special-operations watch to celebrate the 40th anniversary of SEK Frankfurt am Main.

- Boîte en acier inoxydable, microbillé
- Boîte traitée TEGIMENT pour une résistance extrême aux éraflures
- Technique de Déshumidification Ar ? résistance à la condensation et fiabilité
- Protection contre les champs magnétiques jusqu'à 80 000 A/m
- Fond de boîte sans nickel
- Lunette tournante captive avec minuterie
- Verre saphir
- Étanchéité jusqu'à 20 bars
- Résistance aux basses pressions
-



The Frankfurt am Main special police unit (SEK – Spezialeinsatzkommando) was officially founded in 1974. On the occasion of its 40th anniversary, Sinn Spezialuhren and the SEK Frankfurt am Main have come together to develop the SEK 857 SEK Frankfurt am Main special-operations watch. Forty years and counting: SEK Frankfurt am Main decided to mark the occasion with a special watch. To develop the watch, SEK Frankfurt am Main, which has earned an exceptional reputation throughout and beyond Germany, turned to Sinn Spezialuhren without hesitation. After all, Sinn Spezialuhren is also highly respected throughout the world, particularly for its timepieces developed purely with the specific functionality and operational requirements in mind. Close collaboration was therefore an obvious solution. The two Frankfurt institutions also have a close association with the city of Frankfurt am Main. This is expressed symbolically on the dial of the special watch with an adapted coat of arms of the SEK – the Frankfurt eagle and sword. The operational requirements formulated by SEK members through a specifications book and implemented by Sinn Spezialuhren served as the technical basis for the development of the 857 SEK Frankfurt am Main special edition. The case is made of bead-blasted stainless steel and has a diameter of 43 mm. The surface was hardened with TEGIMENT Technology, ensuring that the case is scratch-resistant. The range of features also includes Ar-Dehumidifying Technology for greater functional reliability and freedom from fogging as well as magnetic field protection of up to 80,000 A/m. The rotating captive pilot's bezel with minute ratcheting is securely connected to the case. The watch is fitted with high-quality sapphire crystal glass, pressure-resistant to 20 bar (= 200 m

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tél. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Directeur général: Lothar Schmidt • Tribunal d'instance Frankfurt am Main • HRB 38841 • No de TVA intracommunautaire: DE249383321 • WEEE-Reg.-Nr.:

DE75393444

water depth) and resistant to low pressure. The 857 SEK Frankfurt am Main special edition was created on a one-off basis and was not freely available for purchase. As an unofficial piece of equipment, it was available exclusively to active or former SEK members.

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tél. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Directeur général: Lothar Schmidt • Tribunal d'instance Frankfurt am Main • HRB 38841 • No de TVA intracommunautaire: DE249383321 • WEEE-REg.-Nr.:

DE75393444

Technique

Mouvement mécanique

Les informations sur le mouvement mécanique correspondent à l'état actuel de la production à Francfort-sur-le-Main. En raison des modifications techniques, il peut arriver que les articles en stock de nos revendeurs spécialisés présentent des écarts.

- SW300-1
- Remontage automatique
- 25 rubis
- 28.800 A/h
- Fonction stop sur les secondes
- Résistance aux impacts selon la norme DIN ISO 1413
- Protection contre les champs magnétiques selon la norme DIN 8309

Boîte

- Boîte en acier inoxydable, microbillé
- Verre saphir, traitée antireflet sur les deux faces
- Fond de la boîte vissé, sans nickel
- Couronne vissable
- Conforme aux exigences techniques de la norme DIN 8310 (étanchéité à l'eau)
- Étanchéité jusqu'à 20 bars
- Résistance aux basses pressions

Fonctions

- Heure, minute, seconde
- Affichage de la date
- Lunette tournante bidirectionnelle avec minuterie et repère luminescent

SINN SPEZIALUHREN GMBH

Technologies SINN

- Technique de TEGIMENT pour une résistance extrême aux éraflures
- Lunette tournante captive spéciale
- Technique de Déshumidification Ar ? résistance à la condensation et fiabilité
- Protection contre les champs magnétiques jusqu'à 80 000 A/m

Dimensions et poids

- Diamètre de la boîte: 43 mm
- Largeur du bracelet entre les cornes: 22 mm
- Hauteur de la boîte: 12 mm
- Poids sans bracelet: 90 gramme

Cadran et aiguilles

- Cadran noir mat
- Chiffres et index revêtues d'un enduit luminescent
- Aiguilles des heures et des minutes revêtues d'un enduit luminescent

SINN SPEZIALUHREN GMBH