

# 956

## Der Rallyechronograph.

- Boîte en acier inoxydable, polie
- Double tachymeter scale around the dial includes both the range from 30 to 60 km/h as well as the high speed range from 60 to 500 km/h
- Indicateur de réserve de marche
- Verre saphir
- Fond transparent, verre saphir
- Étanchéité jusqu'à 10 bars
- Résistance aux basses pressions
- 

Precise, indestructible mechanics integrated in a timeless, aesthetic design – a common denominator that unites aficionados of classic cars with connoisseurs of fine watches. Our 956 series is a highly functional, durable chronograph with a look that accurately recalls the style of the traditional dashboards in classic cars. All of the features of this watch series – from the functional details to the appearance – were designed with automotive concepts in mind. As in the world of automobiles, the Sinn 956 shows how long it can keep running: the additional integrated complication for the power reserve indicator is designed to look like a fuel gauge, of course. The double tachymeter scale around the dial includes both the range from 30 to 60 km / h which is so important for the classic car rallies, as well as the high-speed range from 60 to 500 km / h. For all its technological sophistication, the Sinn 956 also offers the reliable durability of traditional mechanical workmanship: it is shock-resistant and anti-magnetic, well-protected by a solid stainless steel case and scratch-resistance sapphire crystal glass against all the rigors of demanding use under tough conditions. Thus, even a drive in a roadster through a violent thunderstorm won't faze a SINN 956.



---

### SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tél. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Directeur général: Lothar Schmidt • Tribunal d'instance Frankfurt am Main • HRB 38841 • No de TVA intracommunautaire: DE249383321 • WEEE-REg.-Nr.:

DE75393444

# Technique

## Mouvement mécanique

Les informations sur le mouvement mécanique correspondent à l'état actuel de la production à Francfort-sur-le-Main. En raison des modifications techniques, il peut arriver que les articles en stock de nos revendeurs spécialisés présentent des écarts.

- Valjoux 7750
- Remontage automatique
- 25 rubis
- 28,800 A/h
- Fonction stop sur les secondes
- Résistance aux impacts selon la norme DIN ISO 1413
- Protection contre les champs magnétiques selon la norme DIN 8309

## Boîte

- Boîte en acier inoxydable, poli
- Verre saphir, traitée antireflet sur les deux faces
- Fond transparent, verre saphir, traitée antireflet sur l'intérieur
- Fond de la boîte vissé
- Couronne vissable
- Conforme aux exigences techniques de la norme DIN 8310 (étanchéité à l'eau)
- Étanchéité jusqu'à 10 bars
- Résistance aux basses pressions

## Fonctions

- Heure, minute, petite seconde
- Affichage de la date
- Indicateur de réserve de marche
- Chronographe
- Tachymétrique

---

### SINN SPEZIALUHREN GMBH

### Dimensions et poids

- Diamètre de la boîte: 41,5 mm
- Largeur du bracelet entre les cornes: 22 mm
- Hauteur de la boîte: 15 mm
- Poids sans bracelet: 92 gramme

### Cadran et aiguilles

- Cadran noir mat
- Chiffres revêtues d'un enduit luminescent
- Aiguilles des heures et des minutes revêtues d'un enduit luminescent

---

## **SINN SPEZIALUHREN GMBH**