

JAGDUHR 3rd Edition

- Limited edition to 100 units
- Completely made of high-strength seawater-resistant German Submarine Steel
- SINN SZ 02 movement with a 60-second scale for the stopwatch minute
- Case made with Black Hard Coating on a TEGIMENT Technology basis
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Functionally reliable from -45°C up to $+80^{\circ}\text{C}$
- Captive Safety Bezel with guard to prevent accidental misadjustment
- Mission timer design for optimal readability
- Sapphire crystal glass
- According to the technical demands for the norm DIN 8306
- Pressure-resistant up to 100 bar, certified by DNV GL
- Tested based on European standards EN250 / EN14143 and certified by DNV GL
- Low pressure resistant



Our timepieces have gained an outstanding reputation amongst hunters – not least due to the successful 1st and 2nd edition hunter's watches. The 3rd edition hunter's watch also meets the demands of a robust and accurate instrument with its high-quality features. It is the ideal watch for the discerning hunter, whose passion for hunting spans various continents and presents the challenges associated with different climates and weather conditions. In particular due to the Sinn technologies used, it is ideal for professional hunting and thus an indispensable piece of hunting equipment. Such technologies ensure that in terms of functionality, mechanical stability and resilience, the watch is extremely resistant to external influences such as knocks, shocks, vibrations, water and dust. For example, Ar-Dehumidifying Technology ensures greater functional reliability and freedom from fogging. Temperature Resistance Technology ensures reliable function at a temperature range of -45°C to $+80^{\circ}\text{C}$. The surface of the case made of German submarine steel has been hardened using TEGIMENT Technology, making it particularly scratch resistant. This technology provides the base for the high-quality black hard coating (PVD coating). The resulting hardness of the TEGIMENT surface supports the hard coating. This prevents the eggshell effect and dramatically reduces flaking of the paint coating. Another special feature of the watch is the SINN chronograph movement SZ02. It has a 60-minute counter at 6 o'clock, which enables clear and easy reading of the minutes right through

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-Reg.-Nr.: DE75393444

from 0 to 60. The indices, hour and minute hands as well as the triangular main marker on the captiv safety bezel are coated with luminous paint. This ensures perfect readability – even at night or under adverse lighting conditions. The push-piece and crown feature on the left-hand side of the case, ensuring unlimited freedom of movement for the hand. The captive safety bezel boasts an anti-rotation device to protect against unintended maladjustment. As with the flat, large-format push-pieces for triggering the chronograph functions, it can easily be operated even when wearing gloves.

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444

Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- SINN Movement SZ 02
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

Case

- Case made of German submarine steel, black
- Sapphire crystal glass in front, anti-reflective on both sides
- Case back screw-fastened
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- According to the technical demands for the diving norm DIN 8306
- Low pressure resistant

Functions

- Hours, minutes, subsidiary seconds
- Date display
- Chronograph with 60-minute stopwatch display
- Diver's bezel with minute ratcheting and luminous key mark

SINN SPEZIALUHREN GMBH

SINN Technologies

- SINN Movement SZ 02 with 60-minute stopwatch display
- Black Hard Coating on a TEGIMENT Technology basis
- Captive safety bezel
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Temperature Resistance Technology, therefore functionally reliable at temperatures from -45°C up to +80°C
- Push-pieces and crown with D3-System

Dimensions and Weight

- Case diameter: 44 mm
- Band lug width: 22 mm
- Case thickness: 18 mm
- Weight without strap: 135 gramme

Dial and Hands

- Earth-coloured dial
- Indices coated with luminescent colour
- Hour, minute and second hand coated with luminescent colour

SINN SPEZIALUHREN GMBH