

## U2 SDR (EZM 5) with TEGIMENT option

The mission timer for divers made of  
German Submarine Steel.

- **TEGIMENT option:**  
The case also features TEGIMENT Technology, making it especially scratch-resistant. If you choose a silicone strap, the design of the clasp will also be on a TEGIMENT Technology basis. If you decide to go for a solid bracelet, this also features TEGIMENT Technology.
- Completely made of high-strength seawater-resistant German Submarine Steel
- Tested based on European diving equipment standards and certified by DNV
- Case made with TEGIMENT Technology and therefore especially scratch-resistant
- Bezel with Black Hard Coating on a TEGIMENT Technology basis
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Functionally reliable from  $-45\text{ °C}$  up to  $+80\text{ °C}$
- Captive diver's bezel with minute ratcheting
- Crown at 4 o'clock to prevent pressure on the back of the hand
- Second time zone on a 24-hour basis
- Mission timer design for optimal readability
- Sapphire crystal glass
- Water-resistant and pressure-resistant to 2,000 m diving depth (= 200 bar), certified by DNV
- Low pressure resistant



The diving watch U2 is a professional mission timer which uses genuine German Submarine Steel, a material with extreme seawater-resistance and the highest level of non-magnetic properties. Sinn's special oil and an adjusted position tolerance of the parts in the diving watch U2 series guarantee operation at temperatures ranging from minus  $45\text{ °C}$  to plus  $80\text{ °C}$ . And that's not all: with the diver's bezel, this diving watch is well-equipped to measure the duration of a dive accurately. Fogging

### SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-Reg.-Nr.: DE75393444

of the dial poses a safety risk when diving. To prevent this, we use EDR seals. This material, with its extreme chemical resistance and only a quarter of the gas permeability of conventional seals, prevents moisture from diffusing into the diving watch. The slightly domed, 4.2 mm thick scratch-resistance anti-reflective sapphire crystal glass withstands even the highest pressures. The case is filled with a protective gas, while three drying capsules keep the interior dry.

---

## **SINN SPEZIALUHREN GMBH**

## Technical details

### Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- SW 330-1
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Anti-magnetic as per DIN 8309

### Case

- Case made of German Submarine Steel, bead-blasted
- Sapphire crystal glass in front, anti-reflective on both sides
- Case back screw-fastened
- Crown screwable
- Meet the technical requirements for water-resistance, as set out in standard DIN 8310
- Water-resistant and pressure-resistant to 2,000 m diving depth (= 200 bar), certified by DNV
- According to the technical demands for the diving norm DIN 8306
- Tested based on European diving equipment standards EN 250 / EN14143 and certified by DNV
- Low pressure resistant

### Functions

- Hours, minutes, seconds
- Second time zone on a 24-hour basis
- Date display
- Diver's bezel with minute ratcheting and luminous key mark

---

## SINN SPEZIALUHREN GMBH

### SINN Technologies

- TEGIMENT Technology, therefore especially scratch-resistant
- Bezel with Black Hard Coating on a TEGIMENT Technology basis
- Captive bezel
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Temperature Resistance Technology, therefore functionally reliable at temperatures from -45 °C up to +80 °C

### Dimensions and Weight

- Case diameter: 44 mm
- Band lug width: 22 mm
- Case thickness: 15.5 mm
- Weight without strap: 114 gramme

### Dial and Hands

- Matte black dial
- Indices coated with luminescent colour
- Hour, minute and second hand coated with luminescent colour
- Mission timer design for optimal readability

### Warranty

- 3 years

## Price

with leather strap from 3.000,00 €

with solid bracelet from 3.350,00 €

with silicone strap from 3.090,00 €

---

## SINN SPEZIALUHREN GMBH

incl. tax

---

**SINN SPEZIALUHREN GMBH**

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de  
Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444