


## **U200 B**

# The Exclusive Special Edition.

- · Special edition available for a limited time only
- Order by 31 December 2013
- Completely made from high-strength seawater-resistant German submarine steel
- Bezel with TEGIMENT Technology and therefore especially scratch-resistant
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Functionally reliable from -45°C up to +80°C
- Tested based on European diving equipment standards and certified by Germanischer Lloyd, Hamburg
- Captive diver's bezel with minute ratcheting
- Crown at 4 o'clock to prevent pressure on the back of the hand
- Sapphire crystal glass
- Pressure-resistant to 2,000 m diving depth (200 bar), certified by Germanischer Lloyd Hamburg
- · Low pressure resistant







## Technical details

#### **Mechanical Movement**

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- ETA 2824-2
- · Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

#### Case

- Case made of German submarine steel
- Sapphire crystal glass in front, anti-reflective on both sides
- · Case back screw-fastened
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant to 200 bar, certified by Germanischer Lloyd, Hamburg
- · Low pressure resistant
- According to the technical demands for the diver's norm DIN 8306
- Tested based on European diving equipment standards EN 250/EN14143 and certified by Germanischer Lloyd in Hamburg

#### **Functions**

- · Hours, minutes, seconds
- Diver's bezel with minute ratcheting and luminous key mark
- · Date display



## **SINN Technologies**

- · Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Temperature Resistance Technology, therefore functionally reliable at temperatures from -45°C up to +80°C
- Captive diver's bezel
- Bezel with TEGIMENT Technology and therefore especially scratch-resistant

## **Dimensions and Weight**

Case diameter: 37 mm
Band lug width: 18 mm
Case thickness: 14,5 mm

• Weight without strap: 73 gramme

### **Dial and Hands**

- · Indices coated with luminescent colour
- · Hour, minute and second hand coated with luminescent colour