

## U200 B

### The Exclusive Special Edition.

- Special edition available for a limited time only
- **Order by 31 December 2013**
- Completely made from high-strength seawater-resistant German submarine steel
- Lunette de plongée à traitement anti-écaillage TEGIMENT
- Technique de Déshumidification Ar ? résistance à la condensation et fiabilité
- Plage de température de service de  $-45^{\circ}\text{C}$  à  $+80^{\circ}\text{C}$
- Tested based on European diving equipment standards and certified by Germanischer Lloyd, Hamburg
- Lunette de plongée captive avec minuterie
- Crown at 4 o'clock to prevent pressure on the back of the hand
- Verre saphir
- Pressure-resistant to 2,000 m diving depth (200 bar), certified by Germanischer Lloyd Hamburg
- Résistance aux basses pressions



The U200 B is an exclusive, limited edition watch. The mission timer made from German submarine steel is equipped with a matte blue galvanized dial and white, luminous indices and hands. Matching in colour, the watch comes with a white silicone strap and blue and white textile strap as standard. The U200 B is equipped with impressive technology, as the Ar-Dehumidifying Technology for functional reliability and freedom from fogging. Temperature resistance technology ensures that the U200 B is functionally reliable in a temperature range of  $-45^{\circ}\text{C}$  to  $+80^{\circ}\text{C}$ . Its suitability as a diving watch for professional usage was tested by Germanischer Lloyd. They confirmed and certified its pressure resistance up to a diving depth of 2,000 metres and temperature resistance and functioning in accordance with the European diving equipment standards.

---

#### SINN SPEZIALUHREN GMBH

# Technique

## Mouvement mécanique

Les informations sur le mouvement mécanique correspondent à l'état actuel de la production à Francfort-sur-le-Main. En raison des modifications techniques, il peut arriver que les articles en stock de nos revendeurs spécialisés présentent des écarts.

- ETA 2824-2
- Remontage automatique
- 25 rubis
- 28,800 A/h
- Fonction stop sur les secondes
- Résistance aux impacts selon la norme DIN ISO 1413
- Protection contre les champs magnétiques selon la norme DIN 8309

## Boîte

- Boîte et poussoirs en acier pour sous-marin allemand haute
- Verre saphir, traitée antireflet sur les deux faces
- Fond de la boîte vissé
- Couronne vissable
- Conforme aux exigences techniques de la norme DIN 8310 (étanchéité à l'eau)
- Pressure-resistant to 200 bar, certified by germanischer Lloyd, hamburg
- Résistance aux basses pressions
- According to the technical demands for the diver's norm DIN 8306
- Tested based on european diving equipment standards en 250/en14143 and certified by germanischer Lloyd in hamburg

## Fonctions

- Heure, minute, seconde
- Lunette tournante captive spéciale plongée avec minuterie et repère luminescent
- Affichage de la date

---

### SINN SPEZIALUHREN GMBH

### Technologies SINN

- Technique de Déshumidification Ar ? résistance à la condensation et fiabilité
- Plage de température de service de  $-45^{\circ}\text{C}$  à  $+80^{\circ}\text{C}$
- Lunette captive spéciale plongée
- Lunette de plongée à traitement anti-écaillage TEGIMENT

### Dimensions et poids

- Diamètre de la boîte: 37 mm
- Largeur du bracelet entre les cornes: 18 mm
- Hauteur de la boîte: 14,5 mm
- Poids sans bracelet: 73 gramme

### Cadran et aiguilles

- Index revêtus d'un enduit luminescent
- Aiguilles des heures, des minutes et des secondes revêtues d'un enduit luminescent

---

## **SINN SPEZIALUHREN GMBH**