

U200 W

The Exclusive Special Edition in White.

- Special edition available for a limited time only, order by 31 July 2011
- Completely made from high-strength seawater-resistant German submarine steel
- Case and bezel made with Black Hard Coating on a TEGIMENT Technology basis
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Functionally reliable from -45 °C up to +80°C
- Tested based on European diving equipment standards and certified by Germanischer Lloyd, Hamburg
- · Captive diver's bezel with minute ratcheting
- Crown at 4 o'clock to prevent pressure on the back of the hand
- Sapphire crystal glass
- Pressure-resistant to 2,000 m diving depth (200 bar), certified by Germanischer Lloyd Hamburg
- · Low pressure resistant

•

Clean, distinctive, highly functional. These are the characteristics of the U200 W diving watch. Its most outstanding characteristic: the white dial with luminous, black indices and hands. White silicone strap with a black folding clasp. With the technical accourtements you've come to expect. Such as a non-detachable diver's bezel, a case made of German submarine steel for optimal resistance to seawater and with Ar-Dehumidifying Technology. A sure thing, under any conditions. This diving watch has been tested based on the European standards for diving equipment and is pressure-resistant to a depth of 2000 meters. All this has been certified by Germanischer Lloyd, Hamburg.





Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- ETA 2824-2
- · Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

Case

- Case made of German submarine steel, black
- Sapphire crystal glass in front, anti-reflective on both sides
- · Case back screw-fastened
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant to 2,000 m diving depth (= 200 bar), certified by Germanischer Lloyd, Hamburg
- · Low pressure resistant
- According to the technical demands for the diver's norm DIN 8306
- Tested based on European diving equipment standards EN 250/EN14143 and certified by Germanischer Lloyd in Hamburg

Functions

- · Hours, minutes, seconds
- Diver's bezel with minute ratcheting and luminous key mark
- · Date display



SINN Technologies

- Black Hard Coating on a TEGIMENT Technology basis
- · Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Temperature Resistance Technology, therefore functionally reliable at temperatures from -45°C up to +80°C
- · Captive diver's bezel

Dimensions and Weight

Case diameter: 37 mm
Band lug width: 18 mm
Case thickness: 14,5 mm

• Weight without strap: 73 gramme

Dial and Hands

- · Dial in matte white
- · Indices coated with luminescent colour
- · Hour, minute and second hand coated with luminescent colour