U212 S E

The Diving Watch made of German Submarine Steel.

- Limited edition to 300 units
- Completely made of high-strength seawater-resistant German Submarine Steel, black
- Tested based on European diving equipment standards and certified by DNV GL
- Pressure-resistant to 100 bar, certified by DNV GL
- Captive diver's bezel with minute ratcheting
- Black Hard Coating on a TEGIMENT Technology basis
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- · Sapphire crystal glass
- Low pressure resistant

The U212 S E is the only model with a diameter of 47 mm, making it our biggest diving watch to date. The interplay between the high-quality Black Hard Coating and the ivory-coloured coating for indices, hands and

numerals is truly striking. While the colouring is in a vintage style, the features of the U212 S E are absolutely state of the art. For example, the case and crown are made of high-strength seawaterresistant German submarine steel, which makes the watch suitable for saltwater diving. The U212 S E also features a captive diver's bezel and Ar-Dehumidifying Technology for greater functional reliability and freedom from fogging. 300 U212 S E watches are being produced, each with an engraved limited-edition number.









Technical details

Mechanical Movement

The information on the mechanical movement corresponds to the current production situation in Frankfurt am Main. Due to technical changes, it may happen in individual cases that stock items of our sales partners deviate from this information.

- SW 300-1
- Self-winding mechanism
- 25 bearing jewels
- 28,800 semi-oscillations per hour
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

Case

- Case made of German Submarine Steel, black
- Sapphire crystal glass in front, anti-reflective
- · Case back screw-fastened
- Crown screwable
- Meet the technical requirements for waterproofness, as set out in standard DIN 8310
- Pressure-resistant up to 100 bar, certified by DNV GL
- · According to the technical demands for the diving norm DIN 8306
- Tested based on European diving equipment standards EN 250 / EN14143 and certified by DNV GL
- · Low pressure resistant

Functions

- Hours, minutes, seconds
- · Date display
- · Pilot's bezel with minute ratcheting and luminous key mark

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444



SINN Technologies

- Black Hard Coating on a TEGIMENT Technology basis
- Captive bezel
- Ar-Dehumidifying Technology enhances functional reliability and freedom from fogging
- Crown with D3-System

Dimensions and Weight

- Case diameter: 47 mm
- Band lug width: 24 mm
- Case thickness: 14.5 mm
- Weight without strap: 135 gramme

Dial and Hands

- Matte black dial
- · Hands and indices coated with luminescent colour

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444